

Device Report - 2023-01-16 to 2023-01-17

Nom des balises	Date et heure du prélèvement	Latitude	Longitude	NOX (ppm)
BAL. VNRBC GAMB	16/01/2023 18:24	49.3497683	0.9811869	0.2000
BAL. VNRBC GAMB	16/01/2023 18:24	49.3497683	0.9811869	0.2000
BAL. VNRBC GAMB	16/01/2023 18:24	49.3497515	0.9811929	0.1000
BAL. VNRBC GAMB	16/01/2023 18:25	49.3496635	0.9811755	0.3000
BAL. VNRBC GAMB	16/01/2023 18:25	49.3495034	0.9812404	0.3000
BAL. VNRBC GAMB	16/01/2023 18:26	49.3492332	0.9813776	0.1000
BAL. VNRBC GAMB	16/01/2023 18:26	49.3489717	0.9815440	0.2000
BAL. VNRBC GAMB	16/01/2023 18:27	49.3487175	0.9815909	0.3000
BAL. VNRBC GAMB	16/01/2023 18:27	49.3484212	0.9815792	0.2000
BAL. VNRBC GAMB	16/01/2023 18:28	49.3484041	0.9816549	0.2000
BAL. VNRBC GAMB	16/01/2023 18:28	49.3484023	0.9816555	0.2000
BAL. VNRBC GAMB	16/01/2023 18:30	49.3483842	0.9816709	0.2000
BAL. VNRBC GAMB	16/01/2023 18:31	49.3483728	0.9817059	0.3000
BAL. VNRBC GAMB	16/01/2023 18:31	49.3483726	0.9817059	0.3000
BAL. VNRBC GAMB	16/01/2023 18:33	49.3483764	0.9816555	0.2000
BAL. VNRBC GAMB	16/01/2023 18:38	49.3483700	0.9816716	0.3000
BAL. VNRBC GAMB	16/01/2023 18:43	49.3483496	0.9817072	0.2000
BAL. VNRBC GAMB	16/01/2023 18:48	49.3483581	0.9816885	0.2000
BAL. VNRBC GAMB	16/01/2023 18:53	49.3483725	0.9816633	0.2000
BAL. FNRBC GAMB	16/01/2023 19:03	49.3495635	0.9811006	0.2000
BAL. FNRBC GAMB	16/01/2023 19:03	49.3495635	0.9811006	0.2000
BAL. FNRBC GAMB	16/01/2023 19:05	49.3495859	0.9811135	0.3000
BAL. FNRBC GAMB	16/01/2023 19:07	49.3495611	0.9811175	0.3000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	16/01/2023 19:08	49.3495577	0.9811068	0.3000
BAL. FNRBC GAMB	16/01/2023 19:08	49.3495246	0.9811836	0.2000
BAL. FNRBC GAMB	16/01/2023 19:10	49.3495215	0.9812001	0.5000
BAL. FNRBC GAMB	16/01/2023 19:10	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:10	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:10	49.3495215	0.9812001	0.5000
BAL. FNRBC GAMB	16/01/2023 19:10	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:10	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:11	49.3495215	0.9812001	0.5000
BAL. FNRBC GAMB	16/01/2023 19:11	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:11	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:11	49.3495215	0.9812001	0.5000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495215	0.9812001	0.4000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495215	0.9812001	0.5000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495215	0.9812001	0.3000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495215	0.9812001	0.3000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495317	0.9812512	0.4000
BAL. FNRBC GAMB	16/01/2023 19:12	49.3495319	0.9812498	0.5000
BAL. FNRBC GAMB	16/01/2023 19:13	49.3495237	0.9812447	0.5000
BAL. FNRBC GAMB	16/01/2023 19:13	49.3495271	0.9812463	0.4000
BAL. FNRBC GAMB	16/01/2023 19:13	49.3495214	0.9812417	0.4000
BAL. FNRBC GAMB	16/01/2023 19:13	49.3495140	0.9812400	0.2000
BAL. VNRBC GAMB	16/01/2023 19:15	49.3483929	0.9816422	0.3000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	16/01/2023 19:15	49.3483925	0.9816421	0.3000
BAL. FNRBC GAMB	16/01/2023 19:15	49.3495982	0.9812602	0.2000
BAL. FNRBC GAMB	16/01/2023 19:15	49.3495997	0.9812604	0.0000
BAL. FNRBC GAMB	16/01/2023 19:16	49.3497941	0.9810266	0.0000
BAL. FNRBC GAMB	16/01/2023 19:16	49.3497964	0.9810084	0.0000
BAL. FNRBC GAMB	16/01/2023 19:17	49.3497976	0.9810024	0.0000
BAL. FNRBC GAMB	16/01/2023 19:19	49.3497956	0.9810441	0.0000
BAL. FNRBC GAMB	16/01/2023 19:19	49.3497953	0.9810401	0.0000
BAL. FNRBC GAMB	16/01/2023 19:20	49.3498028	0.9810185	0.0000
BAL. FNRBC GAMB	16/01/2023 19:20	49.3498009	0.9810107	0.0000
BAL. FNRBC GAMB	16/01/2023 19:22	49.3497913	0.9810184	0.0000
BAL. FNRBC GAMB	16/01/2023 19:22	49.3497924	0.9810157	0.0000
BAL. FNRBC GAMB	16/01/2023 19:23	49.3498069	0.9810115	0.0000
BAL. VNRBC GAMB	16/01/2023 19:23	49.3483860	0.9816463	0.2000
BAL. FNRBC GAMB	16/01/2023 19:27	49.3497863	0.9809841	0.1000
BAL. FNRBC GAMB	16/01/2023 19:32	49.3497746	0.9809687	0.0000
BAL. FNRBC GAMB	16/01/2023 19:36	49.3498432	0.9811826	0.0000
BAL. FNRBC GAMB	16/01/2023 19:36	49.3498443	0.9811815	0.1000
BAL. VNRBC GAMB	16/01/2023 19:38	49.3483861	0.9816533	0.3000
BAL. VNRBC GAMB	16/01/2023 19:38	49.3483859	0.9816532	0.3000
BAL. VNRBC GAMB	16/01/2023 19:39	49.3483930	0.9816533	0.2000
BAL. VNRBC GAMB	16/01/2023 19:39	49.3483929	0.9816530	0.3000
BAL. FNRBC GAMB	16/01/2023 19:41	49.3498550	0.9811733	0.5000
BAL. FNRBC GAMB	16/01/2023 19:42	49.3498550	0.9811733	0.4000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	16/01/2023 19:42	49.3498550	0.9811733	0.4000
BAL. FNRBC GAMB	16/01/2023 19:42	49.3498376	0.9812291	0.2000
BAL. FNRBC GAMB	16/01/2023 19:42	49.3498375	0.9812290	0.2000
BAL. FNRBC GAMB	16/01/2023 19:50	49.3498184	0.9812314	0.1000
BAL. FNRBC GAMB	16/01/2023 19:50	49.3498186	0.9812310	0.0000
BAL. VNRBC GAMB	16/01/2023 19:53	49.3483955	0.9816308	0.3000
BAL. FNRBC GAMB	16/01/2023 19:53	49.3498245	0.9811892	0.0000
BAL. FNRBC GAMB	16/01/2023 19:54	49.3498173	0.9811827	0.0000
BAL. FNRBC GAMB	16/01/2023 19:54	49.3498004	0.9812068	0.1000
BAL. FNRBC GAMB	16/01/2023 20:02	49.3497813	0.9812022	0.1000
BAL. FNRBC GAMB	16/01/2023 20:08	49.3498003	0.9812101	0.5000
BAL. FNRBC GAMB	16/01/2023 20:08	49.3498003	0.9812101	0.3000
BAL. FNRBC GAMB	16/01/2023 20:08	49.3498003	0.9812101	0.3000
BAL. VNRBC GAMB	16/01/2023 20:09	49.3484448	0.9813654	0.2000
BAL. VNRBC GAMB	16/01/2023 20:09	49.3484480	0.9813477	0.3000
BAL. VNRBC GAMB	16/01/2023 20:09	49.3483308	0.9808938	0.3000
BAL. VNRBC GAMB	16/01/2023 20:10	49.3481749	0.9804533	0.3000
BAL. VNRBC GAMB	16/01/2023 20:10	49.3480805	0.9800438	0.4000
BAL. VNRBC GAMB	16/01/2023 20:10	49.3480896	0.9799698	0.5000
BAL. VNRBC GAMB	16/01/2023 20:10	49.3480595	0.9798172	0.2000
BAL. VNRBC GAMB	16/01/2023 20:10	49.3480898	0.9799500	0.2000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3480338	0.9797134	0.6000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3480305	0.9796953	0.4000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3479927	0.9795775	0.4000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	16/01/2023 20:11	49.3479882	0.9795606	0.5000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3479833	0.9795459	0.5000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3479629	0.9794884	0.2000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3479882	0.9795606	0.2000
BAL. VNRBC GAMB	16/01/2023 20:11	49.3478533	0.9790745	0.4000
BAL. VNRBC GAMB	16/01/2023 20:12	49.3476765	0.9789098	0.3000
BAL. VNRBC GAMB	16/01/2023 20:12	49.3476607	0.9788501	0.3000
BAL. VNRBC GAMB	16/01/2023 20:13	49.3476557	0.9788489	0.5000
BAL. VNRBC GAMB	16/01/2023 20:13	49.3476557	0.9788489	0.2000
BAL. VNRBC GAMB	16/01/2023 20:13	49.3476557	0.9788489	0.2000
BAL. VNRBC GAMB	16/01/2023 20:23	49.3476693	0.9788518	0.2000
BAL. VNRBC GAMB	16/01/2023 20:29	49.3476580	0.9788182	0.3000
BAL. VNRBC GAMB	16/01/2023 20:29	49.3476586	0.9788179	0.1000
BAL. FNRBC GAMB	16/01/2023 20:32	49.3497911	0.9811703	0.0000
BAL. FNRBC GAMB	16/01/2023 20:34	49.3498139	0.9811782	0.0000
BAL. FNRBC GAMB	16/01/2023 20:34	49.3498133	0.9811780	0.0000
BAL. FNRBC GAMB	16/01/2023 20:38	49.3497962	0.9810475	0.0000
BAL. FNRBC GAMB	16/01/2023 20:38	49.3497959	0.9810488	0.1000
BAL. FNRBC GAMB	16/01/2023 20:39	49.3498036	0.9810235	0.1000
BAL. FNRBC GAMB	16/01/2023 20:39	49.3498040	0.9810242	0.0000
BAL. FNRBC GAMB	16/01/2023 20:40	49.3497397	0.9810326	0.0000
BAL. FNRBC GAMB	16/01/2023 20:40	49.3497394	0.9810335	0.0000
BAL. FNRBC GAMB	16/01/2023 20:41	49.3497495	0.9810338	0.0000
BAL. FNRBC GAMB	16/01/2023 20:41	49.3494456	0.9812541	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	16/01/2023 20:42	49.3490985	0.9815335	0.1000
BAL. FNRBC GAMB	16/01/2023 20:42	49.3488696	0.9817774	0.1000
BAL. FNRBC GAMB	16/01/2023 20:43	49.3488378	0.9818775	0.0000
BAL. FNRBC GAMB	16/01/2023 20:45	49.3482219	0.9804919	0.0000
BAL. FNRBC GAMB	16/01/2023 20:45	49.3482071	0.9804434	0.0000
BAL. FNRBC GAMB	16/01/2023 20:45	49.3477623	0.9784603	0.0000
BAL. FNRBC GAMB	16/01/2023 20:46	49.3457311	0.9787905	0.0000
BAL. FNRBC GAMB	16/01/2023 20:46	49.3456371	0.9817753	0.0000
BAL. FNRBC GAMB	16/01/2023 20:47	49.3479259	0.9877251	0.0000
BAL. VNRBC GAMB	16/01/2023 20:47	49.3476703	0.9788231	0.3000
BAL. FNRBC GAMB	16/01/2023 20:47	49.3497151	0.9907901	0.0000
BAL. FNRBC GAMB	16/01/2023 20:48	49.3480682	0.9922078	0.0000
BAL. FNRBC GAMB	16/01/2023 20:48	49.3479684	0.9922337	0.0000
BAL. FNRBC GAMB	16/01/2023 20:51	49.3468953	0.9916926	0.0000
BAL. FNRBC GAMB	16/01/2023 20:51	49.3468950	0.9916926	0.0000
BAL. FNRBC GAMB	16/01/2023 20:51	49.3468922	0.9917359	0.0000
BAL. FNRBC GAMB	16/01/2023 20:52	49.3467592	0.9919760	0.0000
BAL. FNRBC GAMB	16/01/2023 20:52	49.3467661	0.9919164	0.0000
BAL. VNRBC GAMB	16/01/2023 20:53	49.3476613	0.9788189	0.2000
BAL. FNRBC GAMB	16/01/2023 21:02	49.3467672	0.9919398	0.0000
BAL. VNRBC ELBE	16/01/2023 21:16	49.2913210	1.0246952	0.0000
BAL. VNRBC ELBE	16/01/2023 21:16	49.2913300	1.0247066	0.0000
BAL. VNRBC ELBE	16/01/2023 21:17	49.2916369	1.0249378	0.0000
BAL. VNRBC ELBE	16/01/2023 21:18	49.2918872	1.0248808	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	16/01/2023 21:18	49.2918872	1.0248808	0.0000
BAL. VNRBC ELBE	16/01/2023 21:18	49.2918927	1.0248706	1 mesuré0.20
BAL. VNRBC ELBE	16/01/2023 21:18	49.2921190	1.0247636	0.0000
BAL. VNRBC ELBE	16/01/2023 21:19	49.2922559	1.0189284	0.0000
BAL. VNRBC ELBE	16/01/2023 21:19	49.2924211	1.0126239	0.0000
BAL. VNRBC ELBE	16/01/2023 21:20	49.2913444	1.0105174	0.0000
BAL. VNRBC ELBE	16/01/2023 21:20	49.2935618	1.0104805	0.0000
BAL. VNRBC ELBE	16/01/2023 21:21	49.2971250	1.0111724	0.0000
BAL. VNRBC ELBE	16/01/2023 21:21	49.2981006	1.0113827	0.0000
BAL. VNRBC ELBE	16/01/2023 21:22	49.2987159	1.0115430	0.0000
BAL. VNRBC ELBE	16/01/2023 21:22	49.3016346	1.0123794	0.0000
BAL. VNRBC ELBE	16/01/2023 21:22	49.3020192	1.0127338	0.0000
BAL. VNRBC ELBE	16/01/2023 21:23	49.3035336	1.0165645	0.1000
BAL. VNRBC GAMB	16/01/2023 21:23	49.3476504	0.9788395	0.2000
BAL. VNRBC ELBE	16/01/2023 21:23	49.3043109	1.0192519	0.0000
BAL. VNRBC ELBE	16/01/2023 21:24	49.3053760	1.0231033	0.0000
BAL. VNRBC ELBE	16/01/2023 21:24	49.3074958	1.0309147	0.0000
BAL. VNRBC ELBE	16/01/2023 21:25	49.3082103	1.0351931	0.0000
BAL. VNRBC ELBE	16/01/2023 21:25	49.3078092	1.0387284	0.0000
BAL. VNRBC ELBE	16/01/2023 21:26	49.3056163	1.0408620	0.0000
BAL. VNRBC ELBE	16/01/2023 21:26	49.3051175	1.0416937	0.0000
BAL. VNRBC ELBE	16/01/2023 21:28	49.3051181	1.0416998	0.0000
BAL. VNRBC ELBE	16/01/2023 21:29	49.3050865	1.0417492	0.0000
BAL. FNRBC GAMB	16/01/2023 21:32	49.3468060	0.9919171	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	16/01/2023 21:33	49.3050207	1.0418648	non mesuré
BAL. VNRBC ELBE	16/01/2023 21:33	49.3050207	1.0418648	non mesuré
BAL. VNRBC ELBE	16/01/2023 21:33	49.3050185	1.0418618	non mesuré
BAL. VNRBC ELBE	16/01/2023 21:33	49.3049886	1.0418783	non mesuré
BAL. VNRBC ELBE	16/01/2023 21:35	49.3048590	1.0423905	0.0000
BAL. VNRBC ELBE	16/01/2023 21:35	49.3048563	1.0423784	0.0000
BAL. VNRBC ELBE	16/01/2023 21:37	49.3046931	1.0419006	0.0000
BAL. VNRBC ELBE	16/01/2023 21:37	49.3046954	1.0418948	0.0000
BAL. VNRBC ELBE	16/01/2023 21:37	49.3049254	1.0417120	0.0000
BAL. VNRBC ELBE	16/01/2023 21:37	49.3051311	1.0415258	non mesuré
BAL. VNRBC ELBE	16/01/2023 21:38	49.3051429	1.0415180	0.0000
BAL. VNRBC ELBE	16/01/2023 21:38	49.3051498	1.0415197	0.0000
BAL. VNRBC ELBE	16/01/2023 21:39	49.3051467	1.0415217	0.0000
BAL. VNRBC ELBE	16/01/2023 21:39	49.3051547	1.0415128	0.0000
BAL. VNRBC ELBE	16/01/2023 21:40	49.3051528	1.0415175	0.0000
BAL. VNRBC ELBE	16/01/2023 21:41	49.3051515	1.0415135	0.0000
BAL. VNRBC ELBE	16/01/2023 21:42	49.3051411	1.0415118	0.1000
BAL. VNRBC GAMB	16/01/2023 21:53	49.3476738	0.9788353	0.2000
BAL. FNRBC GAMB	16/01/2023 22:02	49.3467571	0.9918987	0.0000
BAL. VNRBC ELBE	16/01/2023 22:13	49.3051600	1.0415229	0.1000
BAL. VNRBC GAMB	16/01/2023 22:16	49.3476615	0.9788262	0.5000
BAL. VNRBC GAMB	16/01/2023 22:16	49.3476615	0.9788262	0.3000
BAL. VNRBC GAMB	16/01/2023 22:16	49.3476615	0.9788262	0.3000
BAL. VNRBC GAMB	16/01/2023 22:16	49.3476615	0.9788262	0.5000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.3000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.3000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.5000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.4000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.4000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.6000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.4000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.4000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.6000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.2000
BAL. VNRBC GAMB	16/01/2023 22:17	49.3476615	0.9788262	0.2000
BAL. VNRBC GAMB	16/01/2023 22:18	49.3476615	0.9788262	0.5000
BAL. VNRBC GAMB	16/01/2023 22:18	49.3476615	0.9788262	0.3000
BAL. VNRBC GAMB	16/01/2023 22:18	49.3476615	0.9788262	0.3000
BAL. VNRBC GAMB	16/01/2023 22:23	49.3476747	0.9788395	0.3000
BAL. VNRBC CAUC	16/01/2023 22:29	49.3919097	1.0576280	0.1000
BAL. VNRBC CAUC	16/01/2023 22:31	49.3919158	1.0576415	0.1000
BAL. VNRBC CAUC	16/01/2023 22:31	49.3919129	1.0576383	0.0000
BAL. VNRBC CAUC	16/01/2023 22:32	49.3919266	1.0576352	0.0000
BAL. FNRBC GAMB	16/01/2023 22:32	49.3467720	0.9919528	0.2000
BAL. VNRBC CAUC	16/01/2023 22:32	49.3919385	1.0576402	0.0000
BAL. VNRBC CAUC	16/01/2023 22:33	49.3919359	1.0576514	0.1000
BAL. VNRBC CAUC	16/01/2023 22:34	49.3919204	1.0576578	0.0000
BAL. VNRBC CAUC	16/01/2023 22:35	49.3919129	1.0576544	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC CAUC	16/01/2023 22:39	49.3919317	1.0576679	0.0000
BAL. VNRBC CAUC	16/01/2023 22:42	49.3919176	1.0576297	0.0000
BAL. VNRBC ELBE	16/01/2023 22:43	49.3051525	1.0415565	0.2000
BAL. VNRBC CAUC	16/01/2023 22:44	49.3919305	1.0576457	0.0000
BAL. VNRBC CAUC	16/01/2023 22:44	49.3919305	1.0576457	0.0000
BAL. VNRBC CAUC	16/01/2023 22:44	49.3919292	1.0576473	0.0000
BAL. VNRBC CAUC	16/01/2023 22:44	49.3919443	1.0576530	0.1000
BAL. VNRBC CAUC	16/01/2023 22:45	49.3919508	1.0574843	0.1000
BAL. VNRBC CAUC	16/01/2023 22:45	49.3919871	1.0573542	0.0000
BAL. VNRBC CAUC	16/01/2023 22:46	49.3921009	1.0570538	0.0000
BAL. VNRBC CAUC	16/01/2023 22:46	49.3921087	1.0568967	0.1000
BAL. VNRBC CAUC	16/01/2023 22:47	49.3921283	1.0567031	0.0000
BAL. VNRBC CAUC	16/01/2023 22:47	49.3921552	1.0564921	0.0000
BAL. VNRBC CAUC	16/01/2023 22:48	49.3921315	1.0564570	0.1000
BAL. VNRBC CAUC	16/01/2023 22:48	49.3921303	1.0564760	0.1000
BAL. VNRBC GAMB	16/01/2023 22:49	49.3476872	0.9788410	0.5000
BAL. VNRBC GAMB	16/01/2023 22:49	49.3476872	0.9788410	0.2000
BAL. VNRBC GAMB	16/01/2023 22:49	49.3476872	0.9788410	0.2000
BAL. VNRBC GAMB	16/01/2023 22:50	49.3476872	0.9788410	0.5000
BAL. VNRBC GAMB	16/01/2023 22:50	49.3476872	0.9788410	0.2000
BAL. VNRBC GAMB	16/01/2023 22:50	49.3476872	0.9788410	0.2000
BAL. VNRBC GAMB	16/01/2023 22:53	49.3476860	0.9788559	0.0000
BAL. VNRBC CAUC	16/01/2023 22:54	49.3921331	1.0564619	0.1000
BAL. VNRBC CAUC	16/01/2023 22:59	49.3921308	1.0564964	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.5000
BAL. FNRBC GAMB	16/01/2023 23:02	49.3467967	0.9919272	0.0000
BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.3000
BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.3000
BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.5000
BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.2000
BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.2000
BAL. VNRBC GAMB	16/01/2023 23:02	49.3476878	0.9788554	0.5000
BAL. VNRBC GAMB	16/01/2023 23:03	49.3476878	0.9788554	0.4000
BAL. VNRBC GAMB	16/01/2023 23:03	49.3476878	0.9788554	0.4000
BAL. VNRBC GAMB	16/01/2023 23:03	49.3476878	0.9788554	0.5000
BAL. VNRBC GAMB	16/01/2023 23:03	49.3476878	0.9788554	0.4000
BAL. VNRBC GAMB	16/01/2023 23:03	49.3476878	0.9788554	0.4000
BAL. VNRBC ELBE	16/01/2023 23:13	49.3051541	1.0415286	0.2000
BAL. VNRBC GAMB	16/01/2023 23:23	49.3476795	0.9788605	0.3000
BAL. VNRBC GAMB	16/01/2023 23:28	49.3476398	0.9788529	0.0000
BAL. VNRBC GAMB	16/01/2023 23:28	49.3476407	0.9788520	0.2000
BAL. VNRBC GAMB	16/01/2023 23:28	49.3476545	0.9788402	0.0000
BAL. VNRBC CAUC	16/01/2023 23:29	49.3921510	1.0565040	0.0000
BAL. FNRBC GAMB	16/01/2023 23:32	49.3467628	0.9919276	0.0000
BAL. VNRBC ELBE	16/01/2023 23:43	49.3051568	1.0415490	0.0000
BAL. VNRBC GAMB	16/01/2023 23:52	49.3476502	0.9788371	1.6000
BAL. VNRBC GAMB	16/01/2023 23:52	49.3476502	0.9788371	0.2000
BAL. VNRBC GAMB	16/01/2023 23:52	49.3476502	0.9788371	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	16/01/2023 23:52	49.3476502	0.9788371	0.5000
BAL. VNRBC GAMB	16/01/2023 23:52	49.3476502	0.9788371	0.0000
BAL. VNRBC GAMB	16/01/2023 23:52	49.3476502	0.9788371	0.0000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476502	0.9788371	0.5000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476502	0.9788371	0.0000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476502	0.9788371	0.0000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476710	0.9788617	0.3000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476710	0.9788617	0.5000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476762	0.9788621	0.0000
BAL. VNRBC GAMB	16/01/2023 23:53	49.3476710	0.9788617	0.0000
BAL. VNRBC CAUC	16/01/2023 23:59	49.3921246	1.0564587	0.0000
BAL. FNRBC GAMB	17/01/2023 00:02	49.3467693	0.9919438	0.0000
BAL. VNRBC GAMB	17/01/2023 00:07	49.3476700	0.9788508	0.5000
BAL. VNRBC GAMB	17/01/2023 00:07	49.3476700	0.9788508	0.0000
BAL. VNRBC GAMB	17/01/2023 00:07	49.3476700	0.9788508	0.0000
BAL. VNRBC GAMB	17/01/2023 00:10	49.3476700	0.9788508	0.7000
BAL. VNRBC GAMB	17/01/2023 00:11	49.3476700	0.9788508	0.4000
BAL. VNRBC GAMB	17/01/2023 00:11	49.3476700	0.9788508	0.4000
BAL. VNRBC GAMB	17/01/2023 00:11	49.3476700	0.9788508	0.5000
BAL. VNRBC GAMB	17/01/2023 00:11	49.3476700	0.9788508	0.2000
BAL. VNRBC GAMB	17/01/2023 00:11	49.3476700	0.9788508	0.2000
BAL. VNRBC GAMB	17/01/2023 00:12	49.3476700	0.9788508	0.5000
BAL. VNRBC GAMB	17/01/2023 00:13	49.3476700	0.9788508	0.4000
BAL. VNRBC GAMB	17/01/2023 00:13	49.3476700	0.9788508	0.4000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 00:13	49.3051559	1.0415371	0.1000
BAL. VNRBC GAMB	17/01/2023 00:24	49.3476560	0.9788605	0.2000
BAL. VNRBC GAMB	17/01/2023 00:24	49.3476620	0.9788437	0.5000
BAL. VNRBC GAMB	17/01/2023 00:25	49.3476674	0.9788443	0.3000
BAL. VNRBC GAMB	17/01/2023 00:25	49.3476669	0.9788403	0.3000
BAL. VNRBC GAMB	17/01/2023 00:25	49.3476674	0.9788443	0.5000
BAL. VNRBC GAMB	17/01/2023 00:25	49.3476674	0.9788443	0.2000
BAL. VNRBC GAMB	17/01/2023 00:25	49.3476674	0.9788443	0.2000
BAL. VNRBC CAUC	17/01/2023 00:29	49.3921346	1.0564498	0.1000
BAL. VNRBC GAMB	17/01/2023 00:31	49.3476646	0.9788442	0.5000
BAL. VNRBC GAMB	17/01/2023 00:31	49.3476646	0.9788442	0.2000
BAL. VNRBC GAMB	17/01/2023 00:31	49.3476646	0.9788442	0.2000
BAL. FNRBC GAMB	17/01/2023 00:32	49.3467820	0.9919511	0.0000
BAL. VNRBC GAMB	17/01/2023 00:41	49.3476646	0.9788442	0.5000
BAL. VNRBC GAMB	17/01/2023 00:41	49.3476646	0.9788442	0.0000
BAL. VNRBC GAMB	17/01/2023 00:41	49.3476646	0.9788442	0.0000
BAL. VNRBC ELBE	17/01/2023 00:43	49.3051479	1.0415317	0.0000
BAL. VNRBC GAMB	17/01/2023 00:45	49.3476646	0.9788442	0.5000
BAL. VNRBC GAMB	17/01/2023 00:45	49.3476646	0.9788442	0.0000
BAL. VNRBC GAMB	17/01/2023 00:45	49.3476646	0.9788442	0.0000
BAL. VNRBC GAMB	17/01/2023 00:53	49.3476367	0.9788291	0.2000
BAL. VNRBC GAMB	17/01/2023 00:54	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 00:54	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 00:54	49.3476464	0.9788375	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 00:54	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 00:54	49.3476464	0.9788375	0.0000
BAL. VNRBC GAMB	17/01/2023 00:54	49.3476464	0.9788375	0.0000
BAL. VNRBC GAMB	17/01/2023 00:58	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 00:58	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 00:58	49.3476464	0.9788375	0.2000
BAL. VNRBC CAUC	17/01/2023 00:59	49.3921576	1.0564489	0.0000
BAL. VNRBC GAMB	17/01/2023 01:02	49.3476464	0.9788375	0.5000
BAL. FNRBC GAMB	17/01/2023 01:02	49.3467443	0.9919018	0.0000
BAL. VNRBC GAMB	17/01/2023 01:02	49.3476464	0.9788375	0.3000
BAL. VNRBC GAMB	17/01/2023 01:02	49.3476464	0.9788375	0.3000
BAL. VNRBC GAMB	17/01/2023 01:03	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 01:03	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 01:03	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 01:04	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 01:04	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 01:04	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 01:05	49.3476464	0.9788375	0.8000
BAL. VNRBC GAMB	17/01/2023 01:06	49.3476464	0.9788375	0.4000
BAL. VNRBC GAMB	17/01/2023 01:06	49.3476464	0.9788375	0.4000
BAL. VNRBC GAMB	17/01/2023 01:06	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 01:06	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 01:06	49.3476464	0.9788375	0.2000
BAL. VNRBC GAMB	17/01/2023 01:07	49.3476464	0.9788375	0.5000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 01:07	49.3476464	0.9788375	0.1000
BAL. VNRBC GAMB	17/01/2023 01:07	49.3476464	0.9788375	0.1000
BAL. VNRBC GAMB	17/01/2023 01:07	49.3476464	0.9788375	0.5000
BAL. VNRBC GAMB	17/01/2023 01:07	49.3476464	0.9788375	0.1000
BAL. VNRBC GAMB	17/01/2023 01:07	49.3476464	0.9788375	0.1000
BAL. VNRBC ELBE	17/01/2023 01:13	49.3051514	1.0415414	0.1000
BAL. VNRBC GAMB	17/01/2023 01:23	49.3476781	0.9788343	0.3000
BAL. VNRBC GAMB	17/01/2023 01:24	49.3476740	0.9788348	2.2000
BAL. VNRBC GAMB	17/01/2023 01:24	49.3476740	0.9788348	15.3000
BAL. VNRBC GAMB	17/01/2023 01:24	49.3476740	0.9788348	13.9000
BAL. VNRBC GAMB	17/01/2023 01:24	49.3476740	0.9788348	13.9000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.3000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.3000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.5000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.2000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.2000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.5000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.0000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.0000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.5000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.0000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.0000
BAL. VNRBC GAMB	17/01/2023 01:25	49.3476740	0.9788348	0.0000
BAL. VNRBC GAMB	17/01/2023 01:26	49.3476235	0.9788310	0.5000
BAL. VNRBC GAMB	17/01/2023 01:26	49.3476252	0.9788302	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 01:26	49.3476235	0.9788310	0.0000
BAL. VNRBC CAUC	17/01/2023 01:29	49.3921376	1.0564676	0.1000
BAL. FNRBC GAMB	17/01/2023 01:32	49.3467941	0.9919168	0.0000
BAL. VNRBC GAMB	17/01/2023 01:37	49.3476467	0.9788330	0.5000
BAL. VNRBC GAMB	17/01/2023 01:37	49.3476467	0.9788330	0.2000
BAL. VNRBC GAMB	17/01/2023 01:37	49.3476467	0.9788330	0.2000
BAL. VNRBC GAMB	17/01/2023 01:40	49.3476467	0.9788330	1.2000
BAL. VNRBC GAMB	17/01/2023 01:41	49.3476467	0.9788330	0.4000
BAL. VNRBC GAMB	17/01/2023 01:41	49.3476467	0.9788330	0.4000
BAL. VNRBC GAMB	17/01/2023 01:41	49.3476467	0.9788330	0.5000
BAL. VNRBC GAMB	17/01/2023 01:41	49.3476467	0.9788330	0.4000
BAL. VNRBC GAMB	17/01/2023 01:41	49.3476467	0.9788330	0.4000
BAL. VNRBC ELBE	17/01/2023 01:43	49.3051512	1.0415325	0.1000
BAL. VNRBC GAMB	17/01/2023 01:53	49.3476791	0.9788280	0.1000
BAL. VNRBC CAUC	17/01/2023 01:59	49.3921250	1.0564297	0.0000
BAL. FNRBC GAMB	17/01/2023 02:02	49.3467534	0.9919206	0.0000
BAL. VNRBC ELBE	17/01/2023 02:13	49.3051391	1.0415343	0.0000
BAL. VNRBC CAUC	17/01/2023 02:15	49.3919136	1.0575041	0.1000
BAL. VNRBC CAUC	17/01/2023 02:15	49.3919095	1.0575162	0.2000
BAL. VNRBC CAUC	17/01/2023 02:16	49.3919032	1.0576121	0.5000
BAL. VNRBC CAUC	17/01/2023 02:16	49.3919032	1.0576121	0.5000
BAL. VNRBC CAUC	17/01/2023 02:16	49.3919026	1.0576135	0.4000
BAL. VNRBC CAUC	17/01/2023 02:16	49.3919026	1.0576135	0.5000
BAL. VNRBC CAUC	17/01/2023 02:16	49.3919026	1.0576135	0.5000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC CAUC	17/01/2023 02:16	49.3919026	1.0576135	0.5000
BAL. VNRBC CAUC	17/01/2023 02:16	49.3919026	1.0576135	0.5000
BAL. VNRBC GAMB	17/01/2023 02:23	49.3476648	0.9788149	0.1000
BAL. VNRBC GAMB	17/01/2023 02:28	49.3476630	0.9788394	0.5000
BAL. VNRBC GAMB	17/01/2023 02:28	49.3476630	0.9788394	0.0000
BAL. VNRBC GAMB	17/01/2023 02:28	49.3476630	0.9788394	0.0000
BAL. FNRBC GAMB	17/01/2023 02:32	49.3467565	0.9919369	0.0000
BAL. VNRBC GAMB	17/01/2023 02:33	49.3476630	0.9788394	0.5000
BAL. VNRBC GAMB	17/01/2023 02:33	49.3476630	0.9788394	0.0000
BAL. VNRBC GAMB	17/01/2023 02:33	49.3476630	0.9788394	0.0000
BAL. VNRBC ELBE	17/01/2023 02:38	49.3050386	1.0416156	0.0000
BAL. VNRBC ELBE	17/01/2023 02:38	49.3050323	1.0416218	0.1000
BAL. VNRBC ELBE	17/01/2023 02:39	49.3048395	1.0417620	0.0000
BAL. VNRBC ELBE	17/01/2023 02:39	49.3046630	1.0418827	0.2000
BAL. VNRBC ELBE	17/01/2023 02:40	49.3046613	1.0420438	0.1000
BAL. VNRBC ELBE	17/01/2023 02:40	49.3046391	1.0420315	0.2000
BAL. VNRBC ELBE	17/01/2023 02:42	49.3052309	1.0422558	0.2000
BAL. VNRBC ELBE	17/01/2023 02:42	49.3052296	1.0422382	0.3000
BAL. VNRBC ELBE	17/01/2023 02:44	49.3051698	1.0416147	0.0000
BAL. VNRBC ELBE	17/01/2023 02:45	49.3051249	1.0416876	0.0000
BAL. VNRBC ELBE	17/01/2023 02:45	49.3051246	1.0417541	0.0000
BAL. VNRBC ELBE	17/01/2023 02:46	49.3051270	1.0418038	0.0000
BAL. VNRBC ELBE	17/01/2023 02:46	49.3050645	1.0418211	0.0000
BAL. VNRBC ELBE	17/01/2023 02:47	49.3052180	1.0413799	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 02:47	49.3057429	1.0403836	0.0000
BAL. VNRBC ELBE	17/01/2023 02:48	49.3078037	1.0388296	0.0000
BAL. VNRBC ELBE	17/01/2023 02:48	49.3085396	1.0384310	0.0000
BAL. VNRBC ELBE	17/01/2023 02:49	49.3084085	1.0359812	0.0000
BAL. VNRBC ELBE	17/01/2023 02:49	49.3083132	1.0351456	0.0000
BAL. VNRBC ELBE	17/01/2023 02:50	49.3073768	1.0302241	0.1000
BAL. VNRBC ELBE	17/01/2023 02:50	49.3059604	1.0251159	0.0000
BAL. VNRBC ELBE	17/01/2023 02:51	49.3046521	1.0202274	0.0000
BAL. VNRBC ELBE	17/01/2023 02:51	49.3034393	1.0161120	0.0000
BAL. VNRBC ELBE	17/01/2023 02:52	49.3022466	1.0126569	0.0000
BAL. VNRBC ELBE	17/01/2023 02:52	49.3015350	1.0121847	0.0000
BAL. VNRBC ELBE	17/01/2023 02:53	49.2994143	1.0116053	0.0000
BAL. VNRBC GAMB	17/01/2023 02:53	49.3476684	0.9788235	0.3000
BAL. VNRBC ELBE	17/01/2023 02:53	49.2989978	1.0115157	0.0000
BAL. VNRBC ELBE	17/01/2023 02:54	49.2975421	1.0112044	0.0000
BAL. VNRBC ELBE	17/01/2023 02:54	49.2963851	1.0109334	0.0000
BAL. VNRBC ELBE	17/01/2023 02:55	49.2925289	1.0101322	0.0000
BAL. VNRBC ELBE	17/01/2023 02:55	49.2914150	1.0093684	0.0000
BAL. VNRBC ELBE	17/01/2023 02:56	49.2926740	1.0090742	0.0000
BAL. VNRBC ELBE	17/01/2023 02:56	49.2935658	1.0039292	0.0000
BAL. VNRBC ELBE	17/01/2023 02:57	49.2949286	0.9984537	0.0000
BAL. VNRBC ELBE	17/01/2023 02:57	49.2970827	0.9946507	0.0000
BAL. VNRBC ELBE	17/01/2023 02:58	49.3002860	0.9928302	non mesuré
BAL. VNRBC ELBE	17/01/2023 02:58	49.3039952	0.9925597	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 02:59	49.3476703	0.9788396	0.5000
BAL. VNRBC ELBE	17/01/2023 02:59	49.3077291	0.9941980	0.0000
BAL. VNRBC GAMB	17/01/2023 02:59	49.3476703	0.9788396	0.4000
BAL. VNRBC GAMB	17/01/2023 02:59	49.3476703	0.9788396	0.4000
BAL. VNRBC ELBE	17/01/2023 02:59	49.3100993	0.9958343	0.0000
BAL. VNRBC ELBE	17/01/2023 03:00	49.3134912	0.9959982	0.0000
BAL. VNRBC GAMB	17/01/2023 03:00	49.3476703	0.9788396	0.5000
BAL. VNRBC GAMB	17/01/2023 03:00	49.3476703	0.9788396	0.1000
BAL. VNRBC GAMB	17/01/2023 03:00	49.3476703	0.9788396	0.1000
BAL. VNRBC ELBE	17/01/2023 03:00	49.3176514	0.9941699	0.0000
BAL. VNRBC ELBE	17/01/2023 03:01	49.3204599	0.9949236	0.0000
BAL. VNRBC ELBE	17/01/2023 03:01	49.3236164	0.9959704	0.0000
BAL. VNRBC GAMB	17/01/2023 03:01	49.3476703	0.9788396	1.5000
BAL. VNRBC ELBE	17/01/2023 03:02	49.3262792	1.0010096	0.0000
BAL. VNRBC GAMB	17/01/2023 03:02	49.3476703	0.9788396	0.4000
BAL. VNRBC GAMB	17/01/2023 03:02	49.3476703	0.9788396	0.4000
BAL. VNRBC GAMB	17/01/2023 03:02	49.3476703	0.9788396	0.5000
BAL. VNRBC GAMB	17/01/2023 03:02	49.3476703	0.9788396	0.2000
BAL. VNRBC GAMB	17/01/2023 03:02	49.3476703	0.9788396	0.2000
BAL. FNRBC GAMB	17/01/2023 03:02	49.3467338	0.9919156	0.0000
BAL. VNRBC ELBE	17/01/2023 03:02	49.3300048	1.0014019	0.0000
BAL. VNRBC ELBE	17/01/2023 03:03	49.3323137	0.9973382	0.0000
BAL. VNRBC ELBE	17/01/2023 03:03	49.3373532	0.9972202	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:04	49.3421715	0.9976002	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 03:04	49.3455286	1.0005908	0.0000
BAL. VNRBC ELBE	17/01/2023 03:05	49.3486964	1.0034928	0.0000
BAL. VNRBC ELBE	17/01/2023 03:05	49.3516596	1.0050573	0.0000
BAL. VNRBC ELBE	17/01/2023 03:06	49.3544876	1.0066498	0.0000
BAL. VNRBC ELBE	17/01/2023 03:06	49.3561767	1.0070786	0.0000
BAL. VNRBC ELBE	17/01/2023 03:07	49.3546224	1.0042544	0.0000
BAL. VNRBC ELBE	17/01/2023 03:07	49.3531192	1.0014985	0.0000
BAL. VNRBC ELBE	17/01/2023 03:08	49.3508789	0.9973992	0.0000
BAL. VNRBC ELBE	17/01/2023 03:08	49.3487864	0.9935757	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:09	49.3498475	0.9906922	0.0000
BAL. VNRBC ELBE	17/01/2023 03:09	49.3513297	0.9889710	0.0000
BAL. VNRBC ELBE	17/01/2023 03:10	49.3510718	0.9873187	non mesuré
BAL. VNRBC GAMB	17/01/2023 03:10	49.3476703	0.9788396	0.5000
BAL. VNRBC GAMB	17/01/2023 03:10	49.3476703	0.9788396	0.0000
BAL. VNRBC GAMB	17/01/2023 03:10	49.3476703	0.9788396	0.0000
BAL. VNRBC ELBE	17/01/2023 03:10	49.3503075	0.9858729	0.0000
BAL. VNRBC ELBE	17/01/2023 03:11	49.3494746	0.9837443	0.0000
BAL. VNRBC ELBE	17/01/2023 03:11	49.3492163	0.9830058	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:12	49.3489532	0.9823877	0.0000
BAL. VNRBC ELBE	17/01/2023 03:13	49.3487642	0.9818790	0.0000
BAL. VNRBC ELBE	17/01/2023 03:14	49.3491181	0.9828187	0.0000
BAL. VNRBC ELBE	17/01/2023 03:14	49.3491249	0.9828337	0.0000
BAL. VNRBC ELBE	17/01/2023 03:15	49.3491746	0.9828631	0.0000
BAL. VNRBC ELBE	17/01/2023 03:15	49.3498249	0.9846364	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 03:16	49.3509207	0.9860339	0.0000
BAL. VNRBC ELBE	17/01/2023 03:16	49.3511530	0.9834408	0.0000
BAL. VNRBC ELBE	17/01/2023 03:17	49.3507802	0.9820763	0.0000
BAL. VNRBC ELBE	17/01/2023 03:17	49.3511106	0.9832172	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:18	49.3506997	0.9862252	0.0000
BAL. VNRBC ELBE	17/01/2023 03:18	49.3518530	0.9886682	0.0000
BAL. VNRBC ELBE	17/01/2023 03:19	49.3543226	0.9865120	0.0000
BAL. VNRBC GAMB	17/01/2023 03:19	49.3476703	0.9788396	1.1000
BAL. VNRBC ELBE	17/01/2023 03:19	49.3540602	0.9863299	non mesuré
BAL. VNRBC GAMB	17/01/2023 03:19	49.3476703	0.9788396	0.3000
BAL. VNRBC GAMB	17/01/2023 03:19	49.3476703	0.9788396	0.3000
BAL. VNRBC GAMB	17/01/2023 03:19	49.3476703	0.9788396	0.5000
BAL. VNRBC GAMB	17/01/2023 03:19	49.3476703	0.9788396	0.2000
BAL. VNRBC GAMB	17/01/2023 03:19	49.3476703	0.9788396	0.2000
BAL. VNRBC ELBE	17/01/2023 03:20	49.3515801	0.9884506	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:20	49.3491412	0.9895154	0.0000
BAL. VNRBC ELBE	17/01/2023 03:21	49.3463964	0.9848804	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:21	49.3452633	0.9794229	0.0000
BAL. VNRBC ELBE	17/01/2023 03:22	49.3466693	0.9784740	0.0000
BAL. VNRBC ELBE	17/01/2023 03:22	49.3474233	0.9767820	0.0000
BAL. VNRBC ELBE	17/01/2023 03:23	49.3478186	0.9739444	0.0000
BAL. VNRBC ELBE	17/01/2023 03:23	49.3494387	0.9758221	non mesuré
BAL. VNRBC GAMB	17/01/2023 03:23	49.3476708	0.9788426	0.3000
BAL. VNRBC ELBE	17/01/2023 03:24	49.3501644	0.9790526	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 03:24	49.3505155	0.9805496	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:26	49.3502352	0.9809750	0.0000
BAL. VNRBC ELBE	17/01/2023 03:26	49.3502151	0.9809784	0.0000
BAL. VNRBC ELBE	17/01/2023 03:28	49.3498423	0.9810572	0.0000
BAL. VNRBC ELBE	17/01/2023 03:28	49.3498416	0.9810566	non mesuré
BAL. VNRBC ELBE	17/01/2023 03:28	49.3497903	0.9810232	0.0000
BAL. VNRBC GAMB	17/01/2023 03:32	49.3476659	0.9788642	0.5000
BAL. FNRBC GAMB	17/01/2023 03:32	49.3467895	0.9919590	0.0000
BAL. VNRBC GAMB	17/01/2023 03:32	49.3476659	0.9788642	0.4000
BAL. VNRBC GAMB	17/01/2023 03:32	49.3476659	0.9788642	0.4000
BAL. VNRBC GAMB	17/01/2023 03:32	49.3476659	0.9788642	0.5000
BAL. VNRBC GAMB	17/01/2023 03:32	49.3476659	0.9788642	0.2000
BAL. VNRBC GAMB	17/01/2023 03:32	49.3476659	0.9788642	0.2000
BAL. VNRBC ELBE	17/01/2023 03:43	49.3497842	0.9809966	0.0000
BAL. VNRBC GAMB	17/01/2023 03:53	49.3476872	0.9788340	0.2000
BAL. VNRBC ELBE	17/01/2023 03:54	49.3497712	0.9809391	0.0000
BAL. VNRBC ELBE	17/01/2023 03:54	49.3497719	0.9809397	0.2000
BAL. VNRBC ELBE	17/01/2023 03:56	49.3497328	0.9808832	0.0000
BAL. VNRBC GAMB	17/01/2023 03:58	49.3476824	0.9788460	0.5000
BAL. VNRBC GAMB	17/01/2023 03:58	49.3476824	0.9788460	0.0000
BAL. VNRBC GAMB	17/01/2023 03:58	49.3476824	0.9788460	0.0000
BAL. FNRBC GAMB	17/01/2023 04:02	49.3468244	0.9919518	0.0000
BAL. VNRBC ELBE	17/01/2023 04:13	49.3497586	0.9809860	0.0000
BAL. VNRBC CAUC	17/01/2023 04:21	49.3497664	0.9810034	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC CAUC	17/01/2023 04:21	49.3497664	0.9810034	0.0000
BAL. VNRBC GAMB	17/01/2023 04:23	49.3476919	0.9788421	0.2000
BAL. VNRBC CAUC	17/01/2023 04:24	49.3497851	0.9809841	0.0000
BAL. VNRBC CAUC	17/01/2023 04:25	49.3497524	0.9809797	0.0000
BAL. VNRBC CAUC	17/01/2023 04:31	49.3497617	0.9810456	0.0000
BAL. FNRBC GAMB	17/01/2023 04:32	49.3467478	0.9919239	0.0000
BAL. VNRBC CAUC	17/01/2023 04:36	49.3497666	0.9810421	0.0000
BAL. VNRBC CAUC	17/01/2023 04:41	49.3497488	0.9810770	0.0000
BAL. VNRBC ELBE	17/01/2023 04:43	49.3497866	0.9810418	0.0000
BAL. VNRBC CAUC	17/01/2023 04:46	49.3497275	0.9810598	0.0000
BAL. VNRBC GAMB	17/01/2023 04:50	49.3476268	0.9788579	0.5000
BAL. VNRBC GAMB	17/01/2023 04:50	49.3476268	0.9788579	0.1000
BAL. VNRBC GAMB	17/01/2023 04:50	49.3476268	0.9788579	0.1000
BAL. VNRBC GAMB	17/01/2023 04:51	49.3476268	0.9788579	0.5000
BAL. VNRBC GAMB	17/01/2023 04:51	49.3476268	0.9788579	0.1000
BAL. VNRBC GAMB	17/01/2023 04:51	49.3476268	0.9788579	0.1000
BAL. VNRBC CAUC	17/01/2023 04:51	49.3497767	0.9810366	0.0000
BAL. VNRBC GAMB	17/01/2023 04:53	49.3476198	0.9788736	0.2000
BAL. VNRBC CAUC	17/01/2023 05:01	49.3497871	0.9809871	0.0000
BAL. FNRBC GAMB	17/01/2023 05:02	49.3468416	0.9919833	0.0000
BAL. VNRBC GAMB	17/01/2023 05:07	49.3476195	0.9788894	0.5000
BAL. VNRBC GAMB	17/01/2023 05:07	49.3476195	0.9788894	0.4000
BAL. VNRBC GAMB	17/01/2023 05:07	49.3476195	0.9788894	0.4000
BAL. VNRBC GAMB	17/01/2023 05:07	49.3476195	0.9788894	0.5000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 05:07	49.3476195	0.9788894	0.3000
BAL. VNRBC GAMB	17/01/2023 05:07	49.3476195	0.9788894	0.3000
BAL. VNRBC GAMB	17/01/2023 05:09	49.3476195	0.9788894	0.5000
BAL. VNRBC GAMB	17/01/2023 05:09	49.3476195	0.9788894	0.0000
BAL. VNRBC GAMB	17/01/2023 05:09	49.3476195	0.9788894	0.0000
BAL. VNRBC ELBE	17/01/2023 05:13	49.3497672	0.9810271	0.0000
BAL. VNRBC CAUC	17/01/2023 05:17	49.3497965	0.9810189	0.0000
BAL. VNRBC CAUC	17/01/2023 05:17	49.3497968	0.9810183	0.0000
BAL. VNRBC CAUC	17/01/2023 05:20	49.3498183	0.9810247	0.0000
BAL. VNRBC GAMB	17/01/2023 05:23	49.3476615	0.9788653	0.0000
BAL. VNRBC GAMB	17/01/2023 05:30	49.3476720	0.9788595	1.2000
BAL. VNRBC GAMB	17/01/2023 05:31	49.3476720	0.9788595	0.4000
BAL. VNRBC GAMB	17/01/2023 05:31	49.3476720	0.9788595	0.4000
BAL. VNRBC GAMB	17/01/2023 05:31	49.3476720	0.9788595	0.5000
BAL. VNRBC GAMB	17/01/2023 05:31	49.3476720	0.9788595	0.2000
BAL. VNRBC GAMB	17/01/2023 05:31	49.3476720	0.9788595	0.2000
BAL. FNRBC GAMB	17/01/2023 05:32	49.3467879	0.9919492	0.0000
BAL. VNRBC GAMB	17/01/2023 05:34	49.3476720	0.9788595	0.5000
BAL. VNRBC GAMB	17/01/2023 05:34	49.3476720	0.9788595	0.0000
BAL. VNRBC GAMB	17/01/2023 05:34	49.3476720	0.9788595	0.0000
BAL. VNRBC GAMB	17/01/2023 05:36	49.3476720	0.9788595	0.6000
BAL. VNRBC GAMB	17/01/2023 05:36	49.3476720	0.9788595	0.4000
BAL. VNRBC GAMB	17/01/2023 05:36	49.3476720	0.9788595	0.4000
BAL. VNRBC CAUC	17/01/2023 05:36	49.3497707	0.9810537	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC CAUC	17/01/2023 05:36	49.3497699	0.9810558	0.0000
BAL. VNRBC ELBE	17/01/2023 05:37	49.3498073	0.9810122	0.1000
BAL. VNRBC ELBE	17/01/2023 05:37	49.3498073	0.9810126	0.0000
BAL. VNRBC ELBE	17/01/2023 05:39	49.3497963	0.9809525	0.1000
BAL. VNRBC ELBE	17/01/2023 05:39	49.3497947	0.9809502	0.0000
BAL. VNRBC CAUC	17/01/2023 05:41	49.3498794	0.9810935	0.0000
BAL. VNRBC CAUC	17/01/2023 05:41	49.3498791	0.9810915	0.0000
BAL. VNRBC ELBE	17/01/2023 05:41	49.3498394	0.9810185	0.0000
BAL. VNRBC ELBE	17/01/2023 05:41	49.3498401	0.9810185	0.0000
BAL. VNRBC CAUC	17/01/2023 05:41	49.3498042	0.9810847	0.1000
BAL. VNRBC ELBE	17/01/2023 05:41	49.3498206	0.9810588	0.1000
BAL. VNRBC CAUC	17/01/2023 05:42	49.3497763	0.9811001	0.0000
BAL. VNRBC ELBE	17/01/2023 05:42	49.3498113	0.9810532	0.0000
BAL. VNRBC CAUC	17/01/2023 05:42	49.3497734	0.9810805	0.1000
BAL. VNRBC ELBE	17/01/2023 05:42	49.3497858	0.9810883	0.2000
BAL. VNRBC ELBE	17/01/2023 05:42	49.3498142	0.9810988	0.2000
BAL. VNRBC GAMB	17/01/2023 05:43	49.3476720	0.9788595	0.5000
BAL. VNRBC GAMB	17/01/2023 05:43	49.3476720	0.9788595	0.1000
BAL. VNRBC GAMB	17/01/2023 05:43	49.3476720	0.9788595	0.1000
BAL. VNRBC ELBE	17/01/2023 05:43	49.3498886	0.9811050	0.5000
BAL. VNRBC ELBE	17/01/2023 05:43	49.3498886	0.9811050	0.3000
BAL. VNRBC ELBE	17/01/2023 05:43	49.3498886	0.9811050	0.3000
BAL. VNRBC GAMB	17/01/2023 05:44	49.3476720	0.9788595	0.5000
BAL. VNRBC GAMB	17/01/2023 05:44	49.3476720	0.9788595	0.1000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 05:44	49.3476720	0.9788595	0.1000
BAL. VNRBC CAUC	17/01/2023 05:44	49.3498066	0.9810477	0.1000
BAL. VNRBC CAUC	17/01/2023 05:44	49.3499022	0.9811485	0.1000
BAL. VNRBC ELBE	17/01/2023 05:44	49.3500159	0.9811245	0.2000
BAL. VNRBC CAUC	17/01/2023 05:47	49.3477658	0.9785819	0.1000
BAL. VNRBC CAUC	17/01/2023 05:49	49.3461550	0.9793078	0.0000
BAL. VNRBC CAUC	17/01/2023 05:49	49.3461817	0.9794518	0.0000
BAL. VNRBC ELBE	17/01/2023 05:51	49.3463731	0.9804015	0.0000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	1.0000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.4000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.4000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.7000
BAL. VNRBC ELBE	17/01/2023 05:51	49.3463625	0.9803735	0.0000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.4000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.4000
BAL. VNRBC CAUC	17/01/2023 05:51	49.3463570	0.9803430	0.0000
BAL. VNRBC CAUC	17/01/2023 05:51	49.3463570	0.9803430	0.0000
BAL. VNRBC CAUC	17/01/2023 05:51	49.3463413	0.9803409	0.0000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.5000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.2000
BAL. VNRBC GAMB	17/01/2023 05:51	49.3476720	0.9788595	0.2000
BAL. VNRBC ELBE	17/01/2023 05:52	49.3463723	0.9803804	0.2000
BAL. VNRBC CAUC	17/01/2023 05:52	49.3463433	0.9804818	0.1000
BAL. VNRBC ELBE	17/01/2023 05:52	49.3463683	0.9805535	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC CAUC	17/01/2023 05:52	49.3463597	0.9805965	0.0000
BAL. VNRBC ELBE	17/01/2023 05:53	49.3463757	0.9805690	0.0000
BAL. VNRBC ELBE	17/01/2023 05:53	49.3463631	0.9805717	0.1000
BAL. VNRBC GAMB	17/01/2023 05:53	49.3476912	0.9788577	0.0000
BAL. VNRBC ELBE	17/01/2023 05:54	49.3463655	0.9805946	0.0000
BAL. VNRBC ELBE	17/01/2023 05:55	49.3464824	0.9810004	0.0000
BAL. VNRBC ELBE	17/01/2023 05:55	49.3465542	0.9813586	0.0000
BAL. VNRBC ELBE	17/01/2023 05:56	49.3466866	0.9817225	0.1000
BAL. VNRBC ELBE	17/01/2023 05:56	49.3467664	0.9821464	0.1000
BAL. VNRBC ELBE	17/01/2023 05:57	49.3469165	0.9825250	0.1000
BAL. VNRBC ELBE	17/01/2023 05:57	49.3471936	0.9825358	0.1000
BAL. VNRBC ELBE	17/01/2023 05:58	49.3474353	0.9824167	0.1000
BAL. VNRBC ELBE	17/01/2023 05:58	49.3474378	0.9824151	0.1000
BAL. VNRBC GAMB	17/01/2023 05:59	49.3476673	0.9788604	0.5000
BAL. VNRBC GAMB	17/01/2023 05:59	49.3476673	0.9788604	0.2000
BAL. VNRBC GAMB	17/01/2023 05:59	49.3476673	0.9788604	0.2000
BAL. VNRBC GAMB	17/01/2023 05:59	49.3476673	0.9788604	0.5000
BAL. VNRBC GAMB	17/01/2023 05:59	49.3476673	0.9788604	0.0000
BAL. VNRBC GAMB	17/01/2023 05:59	49.3476673	0.9788604	0.0000
BAL. FNRBC GAMB	17/01/2023 06:02	49.3467634	0.9919215	0.0000
BAL. VNRBC ELBE	17/01/2023 06:13	49.3474570	0.9824177	0.0000
BAL. VNRBC GAMB	17/01/2023 06:13	49.3480234	0.9794179	0.2000
BAL. VNRBC GAMB	17/01/2023 06:13	49.3480389	0.9794785	0.3000
BAL. VNRBC GAMB	17/01/2023 06:14	49.3480826	0.9799425	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 06:14	49.3480762	0.9799489	0.3000
BAL. VNRBC CAUC	17/01/2023 06:21	49.3463582	0.9805898	non mesuré
BAL. VNRBC GAMB	17/01/2023 06:23	49.3480601	0.9800081	0.3000
BAL. FNRBC GAMB	17/01/2023 06:32	49.3467679	0.9919443	0.0000
BAL. VNRBC ELBE	17/01/2023 06:43	49.3474419	0.9824137	0.0000
BAL. VNRBC GAMB	17/01/2023 06:45	49.3480513	0.9799662	0.5000
BAL. VNRBC GAMB	17/01/2023 06:45	49.3480513	0.9799662	0.0000
BAL. VNRBC GAMB	17/01/2023 06:45	49.3480513	0.9799662	0.0000
BAL. VNRBC CAUC	17/01/2023 06:51	49.3463649	0.9805937	0.0000
BAL. VNRBC GAMB	17/01/2023 06:53	49.3480562	0.9800127	0.2000
BAL. VNRBC GAMB	17/01/2023 06:54	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 06:54	49.3480551	0.9800019	0.4000
BAL. VNRBC GAMB	17/01/2023 06:54	49.3480551	0.9800019	0.4000
BAL. VNRBC GAMB	17/01/2023 06:54	49.3480551	0.9800019	0.6000
BAL. VNRBC GAMB	17/01/2023 06:55	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 06:55	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 06:55	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 06:55	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 06:55	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 06:59	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:00	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.4000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.4000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:01	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.5000
BAL. FNRBC GAMB	17/01/2023 07:02	49.3467815	0.9919433	0.0000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:02	49.3480551	0.9800019	0.6000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.4000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.4000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:03	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:04	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:04	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:04	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:06	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:06	49.3480551	0.9800019	0.0000
BAL. VNRBC GAMB	17/01/2023 07:06	49.3480551	0.9800019	0.0000
BAL. VNRBC GAMB	17/01/2023 07:07	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:07	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:07	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:07	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:07	49.3480551	0.9800019	0.0000
BAL. VNRBC GAMB	17/01/2023 07:07	49.3480551	0.9800019	0.0000
BAL. VNRBC GAMB	17/01/2023 07:08	49.3480551	0.9800019	0.5000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.1000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.1000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:09	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:10	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:10	49.3480551	0.9800019	0.3000
BAL. VNRBC GAMB	17/01/2023 07:12	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:12	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:12	49.3480551	0.9800019	0.2000
BAL. VNRBC ELBE	17/01/2023 07:13	49.3474515	0.9824137	0.0000
BAL. VNRBC GAMB	17/01/2023 07:14	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:14	49.3480551	0.9800019	0.1000
BAL. VNRBC GAMB	17/01/2023 07:14	49.3480551	0.9800019	0.1000
BAL. VNRBC GAMB	17/01/2023 07:14	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:14	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:14	49.3480551	0.9800019	0.2000
BAL. VNRBC CAUC	17/01/2023 07:21	49.3463694	0.9806025	0.0000
BAL. VNRBC GAMB	17/01/2023 07:23	49.3480551	0.9800019	0.5000
BAL. VNRBC GAMB	17/01/2023 07:23	49.3480551	0.9800019	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 07:23	49.3480551	0.9800019	0.2000
BAL. VNRBC GAMB	17/01/2023 07:23	49.3480566	0.9800107	0.2000
BAL. VNRBC GAMB	17/01/2023 07:23	49.3480566	0.9800107	0.5000
BAL. VNRBC GAMB	17/01/2023 07:23	49.3480566	0.9800107	0.2000
BAL. VNRBC GAMB	17/01/2023 07:23	49.3480572	0.9800090	0.2000
BAL. VNRBC GAMB	17/01/2023 07:25	49.3480630	0.9799975	0.5000
BAL. VNRBC GAMB	17/01/2023 07:25	49.3480630	0.9799975	0.2000
BAL. VNRBC GAMB	17/01/2023 07:25	49.3480630	0.9799975	0.2000
BAL. VNRBC GAMB	17/01/2023 07:26	49.3480630	0.9799975	0.5000
BAL. VNRBC GAMB	17/01/2023 07:26	49.3480630	0.9799975	0.0000
BAL. VNRBC GAMB	17/01/2023 07:26	49.3480630	0.9799975	0.0000
BAL. VNRBC GAMB	17/01/2023 07:26	49.3480630	0.9799975	0.5000
BAL. VNRBC GAMB	17/01/2023 07:26	49.3480630	0.9799975	0.3000
BAL. VNRBC GAMB	17/01/2023 07:26	49.3480630	0.9799975	0.3000
BAL. VNRBC GAMB	17/01/2023 07:27	49.3480520	0.9800245	0.5000
BAL. VNRBC GAMB	17/01/2023 07:27	49.3480520	0.9800245	0.3000
BAL. VNRBC GAMB	17/01/2023 07:27	49.3480520	0.9800245	0.3000
BAL. FNRBC GAMB	17/01/2023 07:32	49.3467620	0.9919493	non mesuré
BAL. FNRBC GAMB	17/01/2023 07:34	49.3469028	0.9916809	0.0000
BAL. FNRBC GAMB	17/01/2023 07:34	49.3468964	0.9916707	0.1000
BAL. FNRBC GAMB	17/01/2023 07:34	49.3468797	0.9916581	0.0000
BAL. FNRBC GAMB	17/01/2023 07:35	49.3467428	0.9914266	0.3000
BAL. FNRBC GAMB	17/01/2023 07:35	49.3459267	0.9912368	0.1000
BAL. FNRBC GAMB	17/01/2023 07:36	49.3461697	0.9911145	0.3000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	17/01/2023 07:36	49.3477601	0.9925715	0.2000
BAL. FNRBC GAMB	17/01/2023 07:37	49.3488262	0.9920195	0.0000
BAL. FNRBC GAMB	17/01/2023 07:37	49.3508245	0.9901125	0.0000
BAL. FNRBC GAMB	17/01/2023 07:38	49.3487531	0.9891450	0.0000
BAL. VNRBC GAMB	17/01/2023 07:38	49.3480520	0.9800245	0.6000
BAL. VNRBC GAMB	17/01/2023 07:38	49.3480520	0.9800245	0.3000
BAL. VNRBC GAMB	17/01/2023 07:38	49.3480520	0.9800245	0.3000
BAL. FNRBC GAMB	17/01/2023 07:38	49.3462639	0.9846053	0.0000
BAL. FNRBC GAMB	17/01/2023 07:39	49.3452808	0.9793569	0.0000
BAL. FNRBC GAMB	17/01/2023 07:39	49.3469919	0.9783630	0.0000
BAL. FNRBC GAMB	17/01/2023 07:40	49.3476919	0.9788640	0.0000
BAL. VNRBC ELBE	17/01/2023 07:40	49.3474677	0.9824232	0.0000
BAL. VNRBC ELBE	17/01/2023 07:40	49.3474679	0.9824234	0.0000
BAL. FNRBC GAMB	17/01/2023 07:41	49.3465311	0.9788650	0.0000
BAL. FNRBC GAMB	17/01/2023 07:41	49.3465306	0.9788657	0.0000
BAL. VNRBC ELBE	17/01/2023 07:43	49.3474512	0.9824374	0.1000
BAL. VNRBC GAMB	17/01/2023 07:44	49.3480520	0.9800245	0.5000
BAL. VNRBC GAMB	17/01/2023 07:44	49.3480520	0.9800245	0.0000
BAL. VNRBC GAMB	17/01/2023 07:44	49.3480520	0.9800245	0.0000
BAL. FNRBC GAMB	17/01/2023 07:44	49.3465194	0.9788882	non mesuré
BAL. VNRBC CAUC	17/01/2023 07:51	49.3463637	0.9805964	0.0000
BAL. VNRBC GAMB	17/01/2023 07:51	49.3480520	0.9800245	0.5000
BAL. VNRBC GAMB	17/01/2023 07:51	49.3480520	0.9800245	0.0000
BAL. VNRBC GAMB	17/01/2023 07:51	49.3480520	0.9800245	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 07:53	49.3480626	0.9800115	0.4000
BAL. VNRBC GAMB	17/01/2023 08:02	49.3480630	0.9800080	0.5000
BAL. VNRBC GAMB	17/01/2023 08:02	49.3480630	0.9800080	0.0000
BAL. VNRBC GAMB	17/01/2023 08:02	49.3480630	0.9800080	0.0000
BAL. FNRBC GAMB	17/01/2023 08:02	49.3465082	0.9788628	0.1000
BAL. VNRBC ELBE	17/01/2023 08:13	49.3474510	0.9824322	0.0000
BAL. VNRBC GAMB	17/01/2023 08:19	49.3480630	0.9800080	0.5000
BAL. VNRBC GAMB	17/01/2023 08:19	49.3480630	0.9800080	0.1000
BAL. VNRBC GAMB	17/01/2023 08:19	49.3480630	0.9800080	0.1000
BAL. VNRBC GAMB	17/01/2023 08:20	49.3480630	0.9800080	0.5000
BAL. VNRBC GAMB	17/01/2023 08:20	49.3480630	0.9800080	0.2000
BAL. VNRBC GAMB	17/01/2023 08:20	49.3480630	0.9800080	0.2000
BAL. VNRBC CAUC	17/01/2023 08:21	49.3463424	0.9805924	0.0000
BAL. VNRBC GAMB	17/01/2023 08:23	49.3480554	0.9800359	0.2000
BAL. VNRBC GAMB	17/01/2023 08:28	49.3480528	0.9800188	0.5000
BAL. VNRBC GAMB	17/01/2023 08:28	49.3480528	0.9800188	0.3000
BAL. VNRBC GAMB	17/01/2023 08:28	49.3480528	0.9800188	0.3000
BAL. VNRBC GAMB	17/01/2023 08:29	49.3480528	0.9800188	0.5000
BAL. VNRBC GAMB	17/01/2023 08:29	49.3480528	0.9800188	0.2000
BAL. VNRBC GAMB	17/01/2023 08:29	49.3480528	0.9800188	0.2000
BAL. VNRBC GAMB	17/01/2023 08:30	49.3480528	0.9800188	0.5000
BAL. VNRBC GAMB	17/01/2023 08:30	49.3480528	0.9800188	0.1000
BAL. VNRBC GAMB	17/01/2023 08:30	49.3480528	0.9800188	0.1000
BAL. VNRBC GAMB	17/01/2023 08:32	49.3480528	0.9800188	0.5000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 08:32	49.3480528	0.9800188	0.2000
BAL. VNRBC GAMB	17/01/2023 08:32	49.3480528	0.9800188	0.2000
BAL. FNRBC GAMB	17/01/2023 08:32	49.3465094	0.9788339	non mesuré
BAL. FNRBC GAMB	17/01/2023 08:35	49.3465125	0.9788280	non mesuré
BAL. FNRBC GAMB	17/01/2023 08:35	49.3465125	0.9788280	non mesuré
BAL. VNRBC GAMB	17/01/2023 08:37	49.3480528	0.9800188	0.5000
BAL. VNRBC GAMB	17/01/2023 08:37	49.3480528	0.9800188	0.0000
BAL. VNRBC GAMB	17/01/2023 08:37	49.3480528	0.9800188	0.0000
BAL. VNRBC ELBE	17/01/2023 08:43	49.3474533	0.9824128	0.1000
BAL. VNRBC GAMB	17/01/2023 08:44	49.3480528	0.9800188	0.5000
BAL. VNRBC GAMB	17/01/2023 08:44	49.3480528	0.9800188	0.1000
BAL. VNRBC GAMB	17/01/2023 08:44	49.3480528	0.9800188	0.1000
BAL. VNRBC GAMB	17/01/2023 08:44	49.3480528	0.9800188	0.5000
BAL. VNRBC GAMB	17/01/2023 08:44	49.3480528	0.9800188	0.0000
BAL. VNRBC GAMB	17/01/2023 08:44	49.3480528	0.9800188	0.0000
BAL. VNRBC CAUC	17/01/2023 08:51	49.3463690	0.9805856	0.0000
BAL. VNRBC GAMB	17/01/2023 08:53	49.3480822	0.9799642	0.2000
BAL. FNRBC GAMB	17/01/2023 09:02	49.3465234	0.9789227	0.0000
BAL. VNRBC GAMB	17/01/2023 09:03	49.3480583	0.9799808	0.5000
BAL. VNRBC GAMB	17/01/2023 09:03	49.3480583	0.9799808	0.0000
BAL. VNRBC GAMB	17/01/2023 09:03	49.3480583	0.9799808	0.0000
BAL. VNRBC ELBE	17/01/2023 09:13	49.3474567	0.9824124	0.1000
BAL. VNRBC GAMB	17/01/2023 09:17	49.3480583	0.9799808	0.5000
BAL. VNRBC GAMB	17/01/2023 09:17	49.3480583	0.9799808	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 09:17	49.3480583	0.9799808	0.0000
BAL. VNRBC GAMB	17/01/2023 09:19	49.3480471	0.9799701	0.0000
BAL. VNRBC GAMB	17/01/2023 09:19	49.3480463	0.9799722	0.1000
BAL. VNRBC CAUC	17/01/2023 09:21	49.3463801	0.9805986	0.0000
BAL. VNRBC GAMB	17/01/2023 09:23	49.3480540	0.9800041	0.3000
BAL. FNRBC GAMB	17/01/2023 09:32	49.3464882	0.9788639	non mesuré
BAL. VNRBC ELBE	17/01/2023 09:43	49.3474680	0.9824125	0.1000
BAL. VNRBC CAUC	17/01/2023 09:51	49.3463728	0.9806130	0.0000
BAL. VNRBC GAMB	17/01/2023 09:53	49.3480734	0.9799453	0.3000
BAL. VNRBC GAMB	17/01/2023 10:02	49.3480862	0.9799425	0.5000
BAL. VNRBC GAMB	17/01/2023 10:02	49.3480862	0.9799425	0.2000
BAL. VNRBC GAMB	17/01/2023 10:02	49.3480862	0.9799425	0.2000
BAL. VNRBC GAMB	17/01/2023 10:02	49.3480862	0.9799425	0.5000
BAL. VNRBC GAMB	17/01/2023 10:02	49.3480862	0.9799425	0.0000
BAL. VNRBC GAMB	17/01/2023 10:02	49.3480862	0.9799425	0.0000
BAL. FNRBC GAMB	17/01/2023 10:02	49.3464712	0.9789329	0.0000
BAL. VNRBC ELBE	17/01/2023 10:12	49.3474584	0.9824230	0.1000
BAL. VNRBC ELBE	17/01/2023 10:12	49.3474585	0.9824227	0.2000
BAL. VNRBC ELBE	17/01/2023 10:12	49.3474596	0.9824160	0.2000
BAL. VNRBC CAUC	17/01/2023 10:21	49.3463644	0.9805942	0.0000
BAL. VNRBC GAMB	17/01/2023 10:23	49.3480392	0.9800678	0.2000
BAL. FNRBC GAMB	17/01/2023 10:32	49.3465079	0.9788736	0.0000
BAL. VNRBC GAMB	17/01/2023 10:36	49.3480213	0.9800701	0.5000
BAL. VNRBC GAMB	17/01/2023 10:36	49.3480213	0.9800701	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 10:36	49.3480213	0.9800701	0.0000
BAL. VNRBC ELBE	17/01/2023 10:43	49.3474346	0.9824012	0.0000
BAL. FNRBC DIEP	17/01/2023 10:43	49.3497807	0.9810472	0.0000
BAL. FNRBC DIEP	17/01/2023 10:43	49.3497807	0.9810472	0.0000
BAL. FNRBC DIEP	17/01/2023 10:45	49.3497993	0.9810307	0.0000
BAL. FNRBC DIEP	17/01/2023 10:47	49.3497981	0.9810729	0.0000
BAL. VNRBC CAUC	17/01/2023 10:51	49.3463649	0.9806025	0.0000
BAL. FNRBC DIEP	17/01/2023 10:53	49.3498232	0.9809892	0.0000
BAL. VNRBC GAMB	17/01/2023 10:53	49.3480640	0.9800322	0.2000
BAL. FNRBC DIEP	17/01/2023 10:58	49.3497685	0.9809881	0.0000
BAL. FNRBC GAMB	17/01/2023 11:02	49.3464935	0.9788808	non mesuré
BAL. FNRBC DIEP	17/01/2023 11:03	49.3497644	0.9810690	non mesuré
BAL. FNRBC GAMB	17/01/2023 11:07	49.3464879	0.9788837	non mesuré
BAL. FNRBC GAMB	17/01/2023 11:07	49.3464879	0.9788837	non mesuré
BAL. FNRBC GAMB	17/01/2023 11:07	49.3464879	0.9788837	non mesuré
BAL. FNRBC GAMB	17/01/2023 11:08	49.3464879	0.9788837	non mesuré
BAL. FNRBC DIEP	17/01/2023 11:08	49.3497955	0.9810821	0.0000
BAL. FNRBC DIEP	17/01/2023 11:08	49.3497955	0.9810821	0.0000
BAL. FNRBC DIEP	17/01/2023 11:08	49.3497915	0.9810847	0.0000
BAL. FNRBC DIEP	17/01/2023 11:09	49.3498162	0.9810471	0.0000
BAL. VNRBC GAMB	17/01/2023 11:10	49.3480556	0.9799999	0.5000
BAL. VNRBC GAMB	17/01/2023 11:10	49.3480556	0.9799999	0.2000
BAL. VNRBC GAMB	17/01/2023 11:10	49.3480556	0.9799999	0.2000
BAL. FNRBC DIEP	17/01/2023 11:13	49.3497659	0.9810786	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 11:13	49.3474648	0.9824135	0.2000
BAL. VNRBC CAUC	17/01/2023 11:21	49.3463662	0.9806005	0.0000
BAL. VNRBC GAMB	17/01/2023 11:23	49.3480240	0.9800414	0.3000
BAL. FNRBC GAMB	17/01/2023 11:32	49.3465046	0.9788320	non mesuré
BAL. VNRBC GAMB	17/01/2023 11:41	49.3480386	0.9800114	0.5000
BAL. VNRBC GAMB	17/01/2023 11:41	49.3480386	0.9800114	0.0000
BAL. VNRBC GAMB	17/01/2023 11:41	49.3480386	0.9800114	0.0000
BAL. FNRBC DIEP	17/01/2023 11:43	49.3497505	0.9809734	0.0000
BAL. FNRBC GAMB	17/01/2023 11:43	49.3465097	0.9788500	non mesuré
BAL. VNRBC ELBE	17/01/2023 11:43	49.3474358	0.9824249	0.1000
BAL. FNRBC GAMB	17/01/2023 11:43	49.3465097	0.9788500	non mesuré
BAL. VNRBC CAUC	17/01/2023 11:51	49.3464722	0.9806261	0.2000
BAL. VNRBC GAMB	17/01/2023 11:53	49.3480851	0.9799913	0.2000
BAL. FNRBC GAMB	17/01/2023 12:02	49.3465346	0.9788752	non mesuré
BAL. FNRBC DIEP	17/01/2023 12:13	49.3497816	0.9810469	0.0000
BAL. VNRBC ELBE	17/01/2023 12:13	49.3474362	0.9823987	0.0000
BAL. VNRBC CAUC	17/01/2023 12:21	49.3463734	0.9806153	0.1000
BAL. VNRBC GAMB	17/01/2023 12:23	49.3480365	0.9800003	0.2000
BAL. FNRBC GAMB	17/01/2023 12:32	49.3465327	0.9788704	non mesuré
BAL. VNRBC ELBE	17/01/2023 12:43	49.3474390	0.9824093	0.1000
BAL. FNRBC DIEP	17/01/2023 12:43	49.3497803	0.9810266	0.0000
BAL. VNRBC CAUC	17/01/2023 12:51	49.3463321	0.9806175	0.1000
BAL. VNRBC GAMB	17/01/2023 12:53	49.3480122	0.9800190	0.0000
BAL. FNRBC GAMB	17/01/2023 13:02	49.3465686	0.9788925	non mesuré

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC DIEP	17/01/2023 13:13	49.3497938	0.9810269	0.0000
BAL. VNRBC ELBE	17/01/2023 13:13	49.3474405	0.9824186	non mesuré
BAL. FNRBC DIEP	17/01/2023 13:18	49.3499404	0.9811276	0.0000
BAL. FNRBC DIEP	17/01/2023 13:18	49.3499391	0.9811275	0.0000
BAL. FNRBC DIEP	17/01/2023 13:20	49.3498558	0.9810903	0.0000
BAL. FNRBC DIEP	17/01/2023 13:20	49.3498559	0.9810906	0.0000
BAL. FNRBC DIEP	17/01/2023 13:20	49.3498515	0.9810808	0.0000
BAL. VNRBC CAUC	17/01/2023 13:21	49.3463864	0.9806141	0.0000
BAL. FNRBC DIEP	17/01/2023 13:22	49.3498632	0.9810867	0.0000
BAL. VNRBC GAMB	17/01/2023 13:23	49.3480314	0.9800175	0.4000
BAL. FNRBC GAMB	17/01/2023 13:28	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:28	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:28	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:28	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:30	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:30	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:30	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:31	49.3465300	0.9788941	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:32	49.3464663	0.9788414	non mesuré
BAL. VNRBC GAMB	17/01/2023 13:33	49.3480533	0.9799641	0.0000
BAL. VNRBC GAMB	17/01/2023 13:33	49.3480537	0.9799638	0.2000
BAL. FNRBC DIEP	17/01/2023 13:34	49.3497833	0.9810402	0.0000
BAL. FNRBC DIEP	17/01/2023 13:34	49.3497831	0.9810408	0.0000
BAL. FNRBC GAMB	17/01/2023 13:34	49.3464615	0.9788592	non mesuré

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	17/01/2023 13:39	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:39	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:40	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:40	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:42	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:42	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:42	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:42	49.3464615	0.9788592	non mesuré
BAL. FNRBC DIEP	17/01/2023 13:43	49.3497536	0.9810872	0.0000
BAL. VNRBC ELBE	17/01/2023 13:43	49.3474197	0.9824097	0.0000
BAL. FNRBC GAMB	17/01/2023 13:44	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:44	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:44	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:44	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:45	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:45	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:46	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:48	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:50	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:50	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:51	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:51	49.3464615	0.9788592	non mesuré
BAL. VNRBC CAUC	17/01/2023 13:51	49.3463624	0.9806160	0.0000
BAL. FNRBC GAMB	17/01/2023 13:52	49.3464615	0.9788592	non mesuré

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC GAMB	17/01/2023 13:53	49.3480531	0.9800060	0.3000
BAL. FNRBC GAMB	17/01/2023 13:53	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:57	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 13:59	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:00	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:00	49.3464615	0.9788592	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:02	49.3464615	0.9788592	non mesuré
BAL. VNRBC GAMB	17/01/2023 14:02	49.3480495	0.9799854	0.5000
BAL. VNRBC GAMB	17/01/2023 14:02	49.3480495	0.9799854	0.2000
BAL. VNRBC GAMB	17/01/2023 14:02	49.3480495	0.9799854	0.2000
BAL. FNRBC GAMB	17/01/2023 14:02	49.3465129	0.9789250	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:03	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:04	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:05	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:06	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:06	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:06	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:08	49.3465078	0.9789173	non mesuré

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	17/01/2023 14:09	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:09	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:10	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:10	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:11	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:11	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:12	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:12	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:13	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:13	49.3465078	0.9789173	non mesuré
BAL. FNRBC DIEP	17/01/2023 14:13	49.3497979	0.9810322	0.0000
BAL. FNRBC GAMB	17/01/2023 14:13	49.3465078	0.9789173	non mesuré
BAL. VNRBC ELBE	17/01/2023 14:13	49.3474713	0.9824181	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:13	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:13	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:14	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:15	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:15	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:16	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:17	49.3465078	0.9789173	non mesuré
BAL. VNRBC CAUC	17/01/2023 14:21	49.3463923	0.9806035	0.0000
BAL. FNRBC GAMB	17/01/2023 14:22	49.3465078	0.9789173	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:22	49.3465078	0.9789173	non mesuré
BAL. VNRBC GAMB	17/01/2023 14:23	49.3480517	0.9800020	0.2000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	17/01/2023 14:25	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:25	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:25	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:25	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:26	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:26	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:26	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:27	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:27	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:30	49.3464873	0.9788296	non mesuré
BAL. VNRBC GAMB	17/01/2023 14:31	49.3480593	0.9799862	0.5000
BAL. VNRBC GAMB	17/01/2023 14:31	49.3480593	0.9799862	0.1000
BAL. VNRBC GAMB	17/01/2023 14:31	49.3480593	0.9799862	0.1000
BAL. FNRBC GAMB	17/01/2023 14:31	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:32	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:32	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:32	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:32	49.3464873	0.9788296	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:32	49.3465182	0.9788422	non mesuré
BAL. FNRBC DIEP	17/01/2023 14:34	49.3498088	0.9810119	0.0000
BAL. FNRBC DIEP	17/01/2023 14:37	49.3498022	0.9810766	0.0000
BAL. FNRBC DIEP	17/01/2023 14:37	49.3498023	0.9810758	0.0000
BAL. FNRBC DIEP	17/01/2023 14:43	49.3498210	0.9810566	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. VNRBC ELBE	17/01/2023 14:43	49.3474435	0.9824141	0.0000
BAL. FNRBC GAMB	17/01/2023 14:49	49.3465103	0.9788306	non mesuré
BAL. VNRBC CAUC	17/01/2023 14:51	49.3464519	0.9805661	0.0000
BAL. FNRBC GAMB	17/01/2023 14:51	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:51	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:53	49.3465103	0.9788306	non mesuré
BAL. VNRBC GAMB	17/01/2023 14:53	49.3480547	0.9799892	0.2000
BAL. FNRBC GAMB	17/01/2023 14:53	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:53	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:54	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:54	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 14:54	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:02	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:02	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:02	49.3465103	0.9788306	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:02	49.3465021	0.9788554	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:03	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:03	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:03	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:03	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:04	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:05	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:05	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:05	49.3464935	0.9788518	non mesuré

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC GAMB	17/01/2023 15:06	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:06	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:06	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:06	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:06	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:06	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:07	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:09	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:09	49.3464935	0.9788518	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:13	49.3498059	0.9810290	0.0000
BAL. VNRBC ELBE	17/01/2023 15:13	49.3474607	0.9824205	0.1000
BAL. FNRBC GAMB	17/01/2023 15:15	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:15	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:16	49.3464935	0.9788518	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:17	49.3497796	0.9810446	0.0000
BAL. FNRBC DIEP	17/01/2023 15:17	49.3497762	0.9810321	0.0000
BAL. FNRBC GAMB	17/01/2023 15:18	49.3464935	0.9788518	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:18	49.3497769	0.9810368	0.0000
BAL. FNRBC GAMB	17/01/2023 15:18	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:19	49.3464935	0.9788518	non mesuré
BAL. FNRBC GAMB	17/01/2023 15:20	49.3464935	0.9788518	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:21	49.3498139	0.9810229	0.0000
BAL. VNRBC CAUC	17/01/2023 15:21	49.3463772	0.9805942	0.0000
BAL. FNRBC DIEP	17/01/2023 15:21	49.3498092	0.9810161	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC DIEP	17/01/2023 15:22	49.3497846	0.9809930	0.0000
BAL. FNRBC DIEP	17/01/2023 15:22	49.3497959	0.9810086	0.0000
BAL. VNRBC GAMB	17/01/2023 15:23	49.3480638	0.9799736	0.2000
BAL. FNRBC DIEP	17/01/2023 15:24	49.3498106	0.9810147	0.0000
BAL. FNRBC DIEP	17/01/2023 15:25	49.3498325	0.9810326	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:25	49.3498325	0.9810326	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:25	49.3498291	0.9810275	0.0000
BAL. FNRBC DIEP	17/01/2023 15:26	49.3498210	0.9810393	0.0000
BAL. FNRBC DIEP	17/01/2023 15:26	49.3498024	0.9810241	0.0000
BAL. FNRBC DIEP	17/01/2023 15:27	49.3497618	0.9810068	0.0000
BAL. FNRBC DIEP	17/01/2023 15:28	49.3497359	0.9809615	0.0000
BAL. FNRBC DIEP	17/01/2023 15:29	49.3497695	0.9809233	0.0000
BAL. FNRBC DIEP	17/01/2023 15:30	49.3497781	0.9809311	0.0000
BAL. FNRBC GAMB	17/01/2023 15:32	49.3464866	0.9788486	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:33	49.3497945	0.9809452	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:34	49.3497851	0.9809766	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:34	49.3497773	0.9809643	0.0000
BAL. FNRBC DIEP	17/01/2023 15:34	49.3497775	0.9809648	0.0000
BAL. VNRBC GAMB	17/01/2023 15:34	49.3480120	0.9800164	0.5000
BAL. VNRBC GAMB	17/01/2023 15:34	49.3480120	0.9800164	0.0000
BAL. VNRBC GAMB	17/01/2023 15:34	49.3480120	0.9800164	0.0000
BAL. FNRBC DIEP	17/01/2023 15:35	49.3497787	0.9809568	0.0000
BAL. FNRBC DIEP	17/01/2023 15:37	49.3498003	0.9809685	non mesuré
BAL. FNRBC DIEP	17/01/2023 15:38	49.3497999	0.9810013	0.0000

Device Report - 2023-01-16 to 2023-01-17

BAL. FNRBC DIEP	17/01/2023 15:39	49.3497833	0.9810204	0.0000
BAL. VNRBC ELBE	17/01/2023 15:43	49.3474271	0.9824084	0.1000
BAL. FNRBC DIEP	17/01/2023 15:44	49.3497747	0.9810059	0.0000
BAL. FNRBC DIEP	17/01/2023 15:44	49.3497750	0.9810063	0.0000
BAL. FNRBC DIEP	17/01/2023 15:44	49.3497765	0.9810123	0.0000
BAL. FNRBC DIEP	17/01/2023 15:50	49.3497443	0.9810593	0.0000
BAL. VNRBC CAUC	17/01/2023 15:51	49.3463682	0.9806002	0.0000
BAL. VNRBC GAMB	17/01/2023 15:53	49.3480598	0.9799616	0.1000
BAL. FNRBC DIEP	17/01/2023 15:55	49.3498144	0.9810029	0.0000

Device Report - 2023-01-16 to 2023-01-17

O2 (%)	Explo (% LIE)	CO (ppm)	H2S (ppm)
20.9000	non mesuré	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	10.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	7.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	non mesuré	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	13.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	6.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	44.0000	0.0000
20.9000	0.0000	44.0000	0.0000
20.9000	0.0000	36.0000	0.0000
20.9000	0.0000	17.0000	0.0000
20.9000	0.0000	17.0000	0.0000
20.9000	0.0000	13.0000	0.0000
20.9000	0.0000	21.0000	0.0000
20.9000	0.0000	21.0000	0.0000
20.9000	0.0000	14.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	25.0000	1 mesuré1.6000
20.9000	0.0000	21.0000	1 mesuré1.7000
20.9000	0.0000	21.0000	1 mesuré1.7000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	8.0000	0.0000
20.9000	0.0000	9.0000	0.0000
20.9000	0.0000	9.0000	0.0000
20.9000	0.0000	5.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	5.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	7.0000	0.0000
20.9000	0.0000	7.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	22.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	8.0000	0.0000
20.9000	0.0000	8.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	9.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	7.0000	0.0000
20.9000	0.0000	7.0000	0.0000
20.9000	0.0000	6.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	6.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	67.0000	0.0000
20.9000	0.0000	67.0000	0.0000
20.9000	0.0000	64.0000	0.0000
20.9000	0.0000	40.0000	0.0000
20.9000	0.0000	40.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
non mesuré	non mesuré	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

non mesuré	non mesuré	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	121.0000	0.0000
20.9000	0.0000	117.0000	0.0000
20.9000	0.0000	117.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	6.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	20.0000	0.0000
20.9000	0.0000	33.0000	0.0000
20.9000	0.0000	33.0000	0.0000
20.9000	0.0000	33.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	13.0000	0.0000
20.9000	0.0000	23.0000	0.0000
20.9000	0.0000	23.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	9.0000	0.0000
20.9000	0.0000	35.0000	0.0000
20.9000	0.0000	35.0000	0.0000
20.9000	0.0000	34.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	20.0000	0.0000
20.9000	0.0000	20.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	15.0000	0.0000
20.9000	0.0000	8.0000	0.0000
20.9000	0.0000	8.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	non mesuré	0.0000	0.0000
20.4000	non mesuré	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	6.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	1.0000
20.9000	0.0000	0.0000	0.9000
20.9000	0.0000	0.0000	0.9000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.4000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
non mesuré	non mesuré	0.0000	0.0000
non mesuré	non mesuré	0.0000	0.0000
20.4000	non mesuré	0.0000	0.0000
20.4000	non mesuré	0.0000	0.0000
20.4000	non mesuré	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000

Device Report - 2023-01-16 to 2023-01-17

20.3000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.3000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.9000	0.0000	0.0000	0.0000
20.4000	0.0000	0.0000	0.0000